#16

Sub C2

SEQUENCE LISTING

<110> Gallo, Michael
      Foord, Orit
      Junghans, Richard

<120> GENERATION OF MODIFIED MOLECULES WITH INCREASED SERUM HALF-LIVES

<130> ABGX-2 CIP

<140> US 09/375,924
<141> 1999-08-17

<150> US 60/096,868
<151> 1998-08-17

<160> 10

<170> PatentIn version 3.0 with further intervention

<210> 1
<211> 16
<212> PRT
<213> homo sapiens

<400> 1

Ala Glu Pro Lys Ser Cys Asp Lys Thr His Thr His Thr Cys Pro Pro
1   5   10   15

<210> 2
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<221> misc_feature
<222> ()..()
<223> modified from human IgG1 hinge region

<400> 2

Ala Glu Pro Lys Ser Ser Asp Lys Thr His Thr His Thr Cys Pro Pro
1   5   10   15

<210> 3
<211> 12
<212> PRT
<213> Homo sapiens

<400> 3

Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro
1   5   10

<210>   4
<211>   12
<212>   PRT
<213>   Homo sapiens

<400>   4

Glu Arg Lys Cys Cys Val Glu Cys Pro Pro Cys Pro
1   5   10

<210>   5
<211>   12
<212>   DNA
<213>   Homo sapiens

<400>   5
tctctgggta aa   12

<210>   6
<211>   12
<212>   DNA
<213>   Artificial Sequence

<220>
<221>   misc_feature
<222>   ()..()
<223>   human gamma-4 constant region, codon modified

<400>   6
tccttaggga ag   12

<210>   7
<211>   22
<212>   DNA
<213>   Artificial Sequence

<220>
<221>   misc_feature
<222>   ()..()
<223>   PCR primer 1

<400>   7
gggacccacg gggtgcgagg gc   22

```
<210>    8
<211>    36
<212>    DNA
<213>    Artificial Sequence

<220>
<221>    misc_feature
<222>    ()..()
<223>    PCR primer 2

<400>    8
cttccctaag gacatggaga ggctcttctg tgtgtg                         36


<210>    9
<211>    36
<212>    DNA
<213>    Artificial Sequence

<220>
<221>    misc_feature
<222>    ()..()
<223>    PCR primer 3

<400>    9
gattccttag ggaaggcaga gcccaaatct agtgac                         36


<210>    10
<211>    34
<212>    DNA
<213>    Artificial Sequence

<220>
<221>    misc_feature
<222>    ()..()
<223>    PCR primer 4

<400>    10
gccggaattc ggtacgtgcc aagcatcctc gtgc                           34
```